Midterm Exam 1 CS 341: Foundations of Computer Science II — Spring 2007, day section Prof. Marvin K. Nakayama
Print family (or last) name:
Print given (or first) name:
I have read and understand all of the instructions below, and I will obey the Academic Honor Code.

Signature and Date

- This exam has 7 pages in total, numbered 1 to 7. Make sure your exam has all the pages.
- Note the number written on the upper right-hand corner of the first page. On the sign-up sheet being passed around, sign your name next to this number.
- This exam will be 1 hour and 25 minutes in length.
- This is a closed-book, closed-note exam.
- For all problems, follow these instructions:
 - 1. Give only your answers in the spaces provided. I will only grade what you put in the answer space, and I will take off points for any scratch work in the answer space. Use the scratch-work area or the backs of the sheets to work out your answers before filling in the answer space.
 - 2. For any proofs, be sure to provide a step-by-step argument, with justifications for every step.


Problem	1	2	3	4	5	Total
Points						

- 1. [20 points] For each of the following, circle TRUE if the statement is correct. Otherwise, circle FALSE
 - (a) TRUE FALSE A language is regular if and only if it is finite.
 - (b) TRUE FALSE A regular expression for the language $\{a^nb^n \mid n \geq 0\}$ is a^*b^* .
 - (c) TRUE FALSE If a language A has an NFA, then A must be recognized by some PDA.
 - (d) TRUE FALSE The language $\{w \in \{0,1\}^* \mid |w| \text{ is even }\}$ is context-free.
 - (e) TRUE FALSE The language $\{w \in \{0,1\}^* \mid |w| \text{ is even }\}$ is regular.
 - (f) TRUE FALSE If A and B are context-free languages, then $A \cap B$ must be context-free.
 - (g) TRUE FALSE The class of languages recognized by DFAs is closed under complementation.
 - (h) TRUE FALSE If A is a language generated by a context-free grammar in Chomsky normal form, then A must be regular.
 - (i) TRUE FALSE Every language must be regular or context-free.
 - (j) TRUE FALSE Nonregular languages have regular expressions but are not recognized by any DFA.

- 2. [20 points] Give short answers to each of the following parts. Each answer should be at most three sentences. Be sure to define any notation that you use.
 - (a) Give an NFA with exactly three states for the language having regular expression 1*0*1*1.


(b) What does it mean for a context-free grammar $G=(V,\Sigma,R,S)$ to be in Chomsky normal form?

(c) Suppose that language A_1 is recognized by NFA N_1 below, and language A_2 is recognized by NFA N_2 below. Note that the transitions are not drawn in N_1 and N_2 . Draw a picture of an NFA for $A_1 \circ A_2$.



(d) Suppose that language A has CFG $G_1 = (V_1, \Sigma, R_1, S_1)$. Give a CFG G_2 for A^* in terms of G_1 . You do not have to prove the correctness of your CFG G_2 , but do not give just an example.

3. [20 points] Let N be the following NFA with $\Sigma = \{a, b\}$, and let C = L(N).



- (a) List the strings in C in lexicographic order. If C has more than 8 strings, list only the first 8 strings in C, followed by 3 dots.
- (b) Give a regular expression for C.

Scratch-work area

4. [25 points] Consider the language

$$L = \{\,c^ia^jb^k \mid i,j,k \geq 0, \text{ and } i=j \text{ or } i=k\,\,\}.$$

(a) Give a context-free grammar G for L. Be sure to specify G as a 4-tuple $G=(V,\Sigma,R,S).$

(b) Give a PDA for L. You only need to draw the graph.

Scratch-work area

5. [15 points] Recall the pumping lemma for regular languages:

Theorem: If L is a regular language, then there exists a pumping length p where, if $s \in L$ with $|s| \ge p$, then there exists strings x, y, z such that s = xyz and

- (i) $xy^iz \in L$ for each $i \ge 0$,
- (ii) $|y| \ge 1$, and
- (iii) $|xy| \leq p$.

Prove that $A = \{ c^{3n}a^nb^{2n} \mid n \ge 0 \}$ is not a regular language.