

Midterm Exam 1

CS 341-005: Foundations of Computer Science II — **Fall 2022, face-to-face section**

Prof. Marvin K. Nakayama

Print family (or last) name: _____

Print given (or first) name: _____

I have read and understand all of the instructions below, and I will obey the University Policy on Academic Integrity.

Signature and Date

- This exam has 8 pages in total, numbered 1 to 8. Make sure your exam has all the pages.
- Note the number written on the upper right-hand corner of the first page. On the sign-up sheet being passed around, print your name next to this number.
- This exam will be 1 hour and 20 minutes in length.
- This is a closed-book, closed-note exam. Electronic devices (e.g., cellphone, smart watch, calculator) are not allowed.
- For all problems, follow these instructions:
 1. Give only your answers in the spaces provided. Only what is written in the answer space will be graded, and points will be deducted for any scratch work in the answer space. Use the scratch-work area or the backs of the exam sheets to work out your answers before filling in the answer space.
 2. DFA stands for deterministic finite automaton; NFA stands for nondeterministic finite automaton; PDA stands for push-down automaton; CFG stands for context-free grammar.
 3. For any state diagrams that you draw, you must include **all states and transitions**.
 4. For any proofs, be sure to provide a step-by-step argument, with justifications for every step. If you are asked to prove a result X, you may use in your proof of X any other result Y without proving Y. However, make it clear what the other result Y is that you are using; e.g., write something like, “By the result that $A^{**} = A^*$, we know that”

| Problem | 1 | 2 | 3 | 4 | 5 | Total |
|---------|---|---|---|---|---|-------|
| Points | | | | | | |

1. [20 points, Multiple Choice] For each of the following questions, circle the letter of the correct answer.
- 1.1. If L_1 and L_2 are infinite non-context-free languages, then
- (a) $L_1 \cap L_2$ must be non-context-free.
 - (b) $L_1 \cap L_2$ must be context-free.
 - (c) $L_1 \cap L_2$ can be context-free and also it can be non-context-free.
 - (d) $L_1 \cap L_2$ must be regular.
 - (e) none of the above.
- 1.2. If L is a finite language, then
- (a) L must be regular.
 - (b) L must be context-free, but not regular.
 - (c) L must be non-context-free and nonregular.
 - (d) L must be closed under Kleene star.
 - (e) none of the above.
- 1.3. The language $A = \{b^n a^n \mid n \geq 0\}$ satisfies which of the following?
- (a) A has regular expression b^*a^* .
 - (b) A has regular expression $(ba)^*$.
 - (c) A has CFG $G = (V, \Sigma, R, S)$, with $V = \{S\}$, $\Sigma = \{a, b\}$, $R = \{S \rightarrow bSa\}$, and starting variable S .
 - (d) A is not context-free.
 - (e) none of the above.
- 1.4. The class of context-free languages satisfies which of the following:
- (a) it is closed under intersection.
 - (b) it is closed under complementation.
 - (c) it is closed under Kleene star.
 - (d) it contains every possible language.
 - (e) it does not contain every regular language.
 - (f) none of the above.
- 1.5. Suppose that L_1 and L_2 are infinite regular languages. Then
- (a) $L_1 \cup L_2$ must be context-free.
 - (b) $L_1 \cup L_2$ must be non-context-free.
 - (c) $L_1 \cup L_2$ can be context-free and also it can be non-context-free.
 - (d) $L_1 \cup L_2$ must be nonregular.
 - (e) none of the above.

1.6. Let $\Sigma = \{0, 1\}$, and let L be the language of all strings over Σ that have an even number of 0's and an even number of 1's. Consider the following regular expressions:

- (i) $(00 \cup 11)^*$
- (ii) $(00 \cup 11 \cup (01 \cup 10)(01 \cup 10))^*$
- (iii) $((01 \cup 10)(00 \cup 11)^*(01 \cup 10))^*$

Which of the following statements is correct?

- (a) Only regular expression (i) generates L .
- (b) Only regular expression (ii) generates L .
- (c) Only regular expression (iii) generates L .
- (d) Only regular expressions (i) and (ii) generate L .
- (e) Only regular expressions (i) and (iii) generate L .
- (f) Only regular expressions (ii) and (iii) generate L .
- (g) All 3 regular expressions generate L .
- (h) None of the 3 regular expressions generates L .

1.7. If A is a non-context-free language, then

- (a) A must be finite.
- (b) A must be regular.
- (c) A must be closed under reversals.
- (d) none of the above.

1.8. If a language L is recognized by a PDA, then

- (a) L must be finite.
- (b) L must be infinite.
- (c) L can be finite and also it can be infinite.
- (d) does not have a context-free grammar in Chomsky normal form.
- (e) none of the above.

1.9. If a language L has a regular expression, then

- (a) L must be a nonregular language.
- (b) L must be a non-context-free language.
- (c) L must have a context-free grammar.
- (d) L must be closed under concatenation.
- (e) none of the above.

1.10. If a finite number of strings is added to a nonregular language A , then the resulting language B satisfies which of the following?

- (a) B must be a regular language.
- (b) B must be a nonregular language.
- (c) B must be a non-context-free language.
- (d) B must have a context-free grammar.
- (e) none of the above.


2. [20 points] Give short answers to each of the following parts. Each answer should be at most a few sentences. Be sure to define any notation that you use.

- (a) Let $\Sigma = \{a, b\}$, and let A be the set of strings $w \in \Sigma^*$ such that the number of b 's in w is odd. Give a regular expression for A .


Answer: _____

- (b) Give a regular expression for the language recognized by the NFA below.

Answer: _____




- (c) Suppose that language A_1 is recognized by NFA N_1 below. Note that the transitions are not drawn in N_1 . Draw a picture of an NFA for A_1^* . You do not need to give a 5-tuple description of your NFA for A_1^* .



- (d) Suppose that A_1 is a language defined by a CFG $G_1 = (V_1, \Sigma, R_1, S_1)$, and A_2 is a language defined by a CFG $G_2 = (V_2, \Sigma, R_2, S_2)$, where the alphabet Σ is the same for both languages and $V_1 \cap V_2 = \emptyset$. Let $A_3 = A_1 \cup A_2$. Give a CFG G_3 for A_3 in terms of G_1 and G_2 . You do not have to prove the correctness of your CFG G_3 , but do not give just an example.

3. [15 points] Let N be the following NFA with $\Sigma = \{a, b\}$, and let $C = L(N)$.



Give a DFA for C . You only need to draw the state diagram (graph); do not give the 5-tuple.

Scratch-work area

4. [30 points] Consider the alphabet $\Sigma = \{a, b, c\}$ and the language

$$L = \{c^i b^j a^k \mid i, j, k \geq 0 \text{ and } j = i + k\}.$$

(a) Give a context-free grammar G for L . Be sure to specify G as a 4-tuple $G = (V, \Sigma, R, S)$.

(b) Give a PDA for L . You only need to draw the state diagram (graph).

Scratch-work area

5. [15 points] Recall the pumping lemma for regular languages:

Theorem: If L is a regular language, then there exists a pumping length p where, if $s \in L$ with $|s| \geq p$, then s can be split into three pieces $s = xyz$ such that (i) $xy^iz \in L$ for each $i \geq 0$, (ii) $|y| \geq 1$, and (iii) $|xy| \leq p$.

Let $A = \{c^i b^j a^k \mid i, j, k \geq 0, \text{ and } j = i + k\}$. Is A a regular or nonregular language? If A is regular, give a regular expression for A . If A is not regular, prove that it is a nonregular language.

Circle one:

Regular Language

Nonregular Language