

Midterm Exam

CS 341-451: Foundations of Computer Science II — **Fall 2015, eLearning section**

Prof. Marvin K. Nakayama

Print family (or last) name: _____

Print given (or first) name: _____

I have read and understand all of the instructions below, and I will obey the University Code on Academic Integrity.

Signature and Date

- This exam has 9 pages in total, numbered 1 to 9. Make sure your exam has all the pages.
- Unless other arrangements have been made with the professor, the exam is to last 2.5 hours and is to be given on Saturday, October 17, 2015.
- This is a closed-book, closed-note exam. Electronic devices (e.g., cellphone, smart watch, calculator) are not allowed.
- For all problems, follow these instructions:
 1. Give only your answers in the spaces provided. I will only grade what you put in the answer space, and I will take off points for any scratch work in the answer space. Use the scratch-work area or the backs of the sheets to work out your answers before filling in the answer space.
 2. DFA stands for deterministic finite automaton; NFA stands for nondeterministic finite automaton; CFG stands for context-free grammar; PDA stands for pushdown automaton.
 3. For any proofs, be sure to provide a step-by-step argument, with justifications for every step. If you are asked to prove a result X, in your proof of X, you may use any other result Y without proving Y. However, make it clear what the other result Y is that you are using; e.g., write something like, “By the result that $A^{**} = A^*$, we know that”

Problem	1	2	3	4	5	6	7	Total
Points								

1. [20 points] For each of the following, circle TRUE if the statement is correct. Otherwise, circle FALSE

- (a) TRUE FALSE — The class of context-free languages is closed under complementation.
- (b) TRUE FALSE — Every nonregular language is context-free.
- (c) TRUE FALSE — If A is a regular language, then A is finite.
- (d) TRUE FALSE — If A is a finite language, then A is context-free.
- (e) TRUE FALSE — If $A \subseteq B$ and B is a regular language, then A is a regular language.
- (f) TRUE FALSE — The language $\{ a^n b^n \mid n \geq 0 \}$ has regular expression $a^* b^*$.
- (g) TRUE FALSE — If A is a context-free language that is also non-regular, then A has a CFG in Chomsky normal form.
- (h) TRUE FALSE — If A has an NFA and B is a finite language, then $A \cap \overline{B}$ is context-free.
- (i) TRUE FALSE — If $M = (Q, \Sigma, \Gamma, \delta, q_0, q_{\text{accept}}, q_{\text{reject}})$ is a Turing machine and $w \in \Sigma^*$ is a string, the TM M either accepts or rejects w .
- (j) TRUE FALSE — If $A \subseteq B$ and A is a context-free language, then B is a context-free language.

2. [20 points] Give short answers to each of the following parts. **Each answer should be at most a few sentences. Be sure to define any notation that you use.**

(a) Let $\Sigma = \{a, b\}$, and we say that a string $w \in \Sigma^*$ ends in a double letter if its last two symbols are aa or bb . Let $A = \{ w \in \Sigma^* \mid w \text{ does not end in a double letter} \}$. Give a regular expression for A .


(b) Suppose that we are in the process of converting a CFG G with $\Sigma = \{0, 1\}$ into Chomsky normal form. We have already applied some steps in the process, and we currently have the following CFG:

$$\begin{aligned} S_0 &\rightarrow S \\ S &\rightarrow A1SA \mid A0 \mid \varepsilon \\ A &\rightarrow 0S0 \mid \varepsilon \end{aligned}$$

In the next step, we want to remove the ε -rule $A \rightarrow \varepsilon$. Give the CFG after carrying out just this one step.


- (c) Suppose that language A_1 is recognized by NFA N_1 below. Note that the transitions are not drawn in N_1 . Draw a picture of an NFA for A_1^* .

N_1



- (d) Suppose that A_1 is a language defined by a CFG $G_1 = (V_1, \Sigma, R_1, S_1)$, and A_2 is a language defined by a CFG $G_2 = (V_2, \Sigma, R_2, S_2)$, where the alphabet Σ is the same for both languages and $V_1 \cap V_2 = \emptyset$. Let $A_3 = A_1 \cup A_2$. Give a CFG G_3 for A_3 in terms of G_1 and G_2 . You do not have to prove the correctness of your CFG G_3 , but do not give just an example.

3. [10 points] The Turing machine M below has input alphabet $\Sigma = \{b\}$ and tape alphabet $\Gamma = \{b, x, \sqcup\}$.



In each of the parts below, give the sequence of configurations that M enters when started on the input string bb .


Scratch-work area

4. [10 points]

(a) Show by giving an example that, if M is an NFA that recognizes language C , swapping the accept and non-accept states in M does not necessarily yield a new NFA that recognizes \overline{C} . Explain your answer.

(b) Is the class of languages recognized by NFAs closed under complements? Explain your answer.

5. [10 points] Convert the following NFA into an equivalent DFA.



Answer:

Scratch-work area

6. [15 points] Consider the language

$$A = \{ c^i a^j b^k \mid i, j, k \geq 0 \text{ and } i + j = k \}.$$

(a) Give a context-free grammar G that generates the language A . Be sure to specify G as a 4-tuple $G = (V, \Sigma, R, S)$.

(b) Give a PDA for the language A . You only need to draw the picture.

Scratch-work area

7. [15 points] Recall the pumping lemma for regular languages:

Theorem: If L is a regular language, then there is a number p (pumping length) where, if $s \in L$ with $|s| \geq p$, then s can be split into three pieces $s = xyz$ such that

(i) $xy^iz \in L$ for each $i \geq 0$,

(ii) $|y| > 0$, and

(iii) $|xy| \leq p$.

Let $\Sigma = \{a, b\}$, and consider the language $A = \{w \in \Sigma^* \mid w = w^{\mathcal{R}}, |w| \text{ is even}\}$, where $w^{\mathcal{R}}$ denotes the reverse of w and $|w|$ denotes the length of w . Prove that A is not a regular language.