

INDEX OF CONTENTS

FOREWORD	iii
Chapter 1. INTRODUCTION	1
Chapter 2. HYDRAULICS OF SEWERS	
Sanitary Sewers	3
Determination of Sewer System Type	3
Determination of Design Flow	3
Average Flow	3
Peak Flow	3
Minimum Flow	4
Selection of Pipe Size	4
Manning's Formula	4
Manning's "n" Value	4
Full Flow Graphs	5
Partially Full Flow Graphs	5
Determination of Flow Velocity	5
Minimum Velocity	5
Maximum Velocity	5
Storm Sewers	5
Determination of Sewer System Type	5
Determination of Design Flow	5
Runoff Coefficient	6
Rainfall Intensity	6
Time of Concentration	6
Runoff Area	6
Selection of Pipe Size	7
Manning's Formula	7
Manning's "n" Value	7
Determination of Flow Velocity	7
Minimum Velocity	7
Maximum Velocity	7
Example Problems	8
2-1 Storm Sewer Flow	8
2-2 Required Sanitary Sewer Size	8
2-3 Storm Sewer Minimum Slope	9
2-4 Sanitary Sewer Design	9
2-5 Storm Sewer Design	11
2-6 Sanitary Sewer Design	13
Chapter 3. HYDRAULICS OF CULVERTS	
Determination of Design Flow	15
Factors Affecting Culvert Discharge	15

Inlet Control	15
Outlet Control	16
Critical Depth	16
Selection of Culvert Size	17
Culvert Capacity Chart Procedure	17
Nomograph Procedure	18
Example Problems	20
3-1 Culvert Capacity Chart Procedure	20
3-2 Nomograph Procedure	22
3-3 Culvert Design	23
3-4 Culvert Design	24

Chapter 4. LOADS AND SUPPORTING STRENGTHS

Installation Types	27
Trench	27
Positive Projecting Embankment	27
Negative Projecting Embankment	27
Jacked or Tunneled	27
Standard Installations	29
Background	29
Introduction	29
Four Installations	32
Load Pressures	32
Selection of Standard Installation	37
Determination of Earth Load	37
Embankment Soil Load	37
Trench Soil Load	38
Negative Projecting Embankment Soil Load	39
Jacked or Tunneled Soil Load	41
Determination of Live Load	41
Highways	42
Airports	46
Rigid Pavement	47
Flexible Pavement	47
Railroads	49
Construction Loads	50
Selection of Bedding	50
Bedding Factors	50
Determination of Bedding Factor	53
Application of Factor of Safety	54
Selection of Pipe Strength	54
Example Problems	
4-1 Trench Installation	58
4-2 Positive Projecting Embankment Installation	60
4-3 Negative Projecting Embankment Installation	63

4-4 Jacked or Tunneled Installation	65
4-5 Wide Trench Installation	67
4-6 Positive Projecting Embankment Installation Vertical Elliptical Pipe	69
4-7 Highway Live Load	71
4-8 Aircraft Live Load - Rigid Pavement	73
4-9 Aircraft Live Load - Flexible Pavement	76
4-10 Railroad Live Load	80

Chapter 5. SUPPLEMENTAL DATA

Circular Concrete Pipe	83
Elliptical Concrete Pipe	83
Horizontal Elliptical Pipe	83
Vertical Elliptical Pipe	86
Concrete Arch Pipe	86
Concrete Box Sections	89
Special Sections	91
Precast Concrete Manhole Sections	92
Flat Base Pipe	93
Standard Specifications for Concrete Pipe	93
Pipe Joints	98
Jacking Concrete Pipe	103
Required Characteristics of Concrete Jacking Pipe	103
The Jacking Method	103
Bends and Curves	104
Deflected Straight Pipe	104
Radius Pipe	105
Bends and Special Sections	107
Significance of Cracking	108

TABLES

Table 1	Sewage Flows Used For Design	112
Table 2	Sewer Capacity Allowances For Commercial And Industrial Areas ..	113
Table 3	Full Flow Coefficient Values - Circular Concrete Pipe	114
Table 4	Full Flow Coefficient Values - Elliptical Concrete Pipe	115
Table 5	Full Flow Coefficient Values - Concrete Arch Pipe	115
Table 6	Full Flow Coefficient Values - Precast Concrete Box Sections	116
Table 7	Slopes Required for $V = 2$ fps at Full and Half Full Flow	117
Table 8	Runoff Coefficients for Various Areas	118
Table 9	Rainfall Intensity Conversion Factors	118
Table 10	Recurrence Interval Factors	118
Table 11	Nationwide Flood-Frequency Projects	119
Table 12	Entrance Loss Coefficients	119
Table 13	Transition Widths - 12 inch Circular Pipe	120

Table 14	Transition Widths - 15 inch Circular Pipe	121
Table 15	Transition Widths - 18 inch Circular Pipe	122
Table 16	Transition Widths - 21 inch Circular Pipe	123
Table 17	Transition Widths - 24 inch Circular Pipe	124
Table 18	Transition Widths - 27 inch Circular Pipe	125
Table 19	Transition Widths - 30 inch Circular Pipe	126
Table 20	Transition Widths - 33 inch Circular Pipe	127
Table 21	Transition Widths - 36 inch Circular Pipe	128
Table 22	Transition Widths - 42 inch Circular Pipe	129
Table 23	Transition Widths - 48 inch Circular Pipe	130
Table 24	Transition Widths - 54 inch Circular Pipe	131
Table 25	Transition Widths - 60 inch Circular Pipe	132
Table 26	Transition Widths - 66 inch Circular Pipe	133
Table 27	Transition Widths - 72 inch Circular Pipe	134
Table 28	Transition Widths - 78 inch Circular Pipe	135
Table 29	Transition Widths - 84 inch Circular Pipe	136
Table 30	Transition Widths - 90 inch Circular Pipe	137
Table 31	Transition Widths - 96 inch Circular Pipe	138
Table 32	Transition Widths - 102 inch Circular Pipe	139
Table 33	Transition Widths - 108 inch Circular Pipe	140
Table 34	Transition Widths - 114 inch Circular Pipe	141
Table 35	Transition Widths - 120 inch Circular Pipe	142
Table 36	Transition Widths - 126 inch Circular Pipe	143
Table 37	Transition Widths - 132 inch Circular Pipe	144
Table 38	Transition Widths - 138 inch Circular Pipe	145
Table 39	Transition Widths - 144 inch Circular Pipe	146
Table 40	Design Values of Settlement Ratio	147
Table 41	Design Values of Coefficient of Cohesion	147
Table 42	Highway Loads on Circular Pipe	148
Table 43	Highway Loads on Horizontal Elliptical Pipe	149
Table 44	Hghway Loads on Vertical Elliptical Pipe	150
Table 45	Highway Loads on Arch Pipe	151
Table 46	Pressure Coefficients for a Single Load	152
Table 47	Pressure Coefficients for Two Loads Spaced $0.8R_s$ Apart	153
Table 48	Pressure Coefficients for Two Loads Spaced $1.6R_s$ Apart	154
Table 49	Pressure Coefficients for Two Loads Spaced $2.4R_s$ Apart	155
Table 50	Pressure Coefficients for Two Loads Spaced $3.2R_s$ Apart	156
Table 51	Pressure Coefficients for a Single Load Applied on Subgrade or Flexible Pavement	157
Table 52	Values of Radius of Stiffness	158
Table 53	Aircraft Loads on Circular Pipe	159
Table 54	Aircraft Loads on Horizontal Elliptical Pipe	160
Table 55	Aircraft Loads on Arch Pipe	161
Table 56	Railroad Loads on Circular Pipe	162
Table 57	Railroad Loads on Horizontal Elliptical Pipe	163

Table 58	Railroad Loads on Arch Pipe	164
Table 59	Bedding Factors for Vertical Elliptical Pipe — Positive Projecting Embankment Installation	165
Table 60	Bedding Factors for Horizontal Elliptical Pipe — Positive Projecting Embankment Installation	166
Table 61	Bedding Factors for Arch Pipe — Positive Projecting Embankment Installation	167
Table 62	Type I Fill Height Table - 1 ft. through 15 ft.	168
Table 63	Type I Fill Height Table - 16 ft. through 30 ft.	169
Table 64	Type I Fill Height Table - 31 ft. through 45 ft.	170
Table 65	Type I Fill Height Table - 46 ft. through 60 ft.	171
Table 66	Type 2 Fill Height Table - 1 ft. through 15 ft.	172
Table 67	Type 2 Fill Height Table - 16 ft. through 30 ft.	173
Table 68	Type 2 Fill Height Table - 31 ft. through 45 ft.	174
Table 69	Type 3 Fill Height Table - 1 ft. through 18 ft.	175
Table 70	Type 3 Fill Height Table - 19 ft. through 35 ft.	176
Table 71	Type 4 Fill Height Table - 1 ft. through 15 ft.	177
Table 72	Type 4 Fill Height Table - 16 ft. through 23 ft.	178

FIGURES

Figure 1	Ratio of Extreme Flows to Average Daily Flow	180
Figure 2	Flow for Circular Pipe Flowing Full n=0.010	181
Figure 3	Flow for Circular Pipe Flowing Full n=0.011	182
Figure 4	Flow for Circular Pipe Flowing Full n=0.012	183
Figure 5	Flow for Circular Pipe Flowing Full n=0.013	184
Figure 6	Flow for Horizontal Elliptical Pipe Flowing Full n=0.010	185
Figure 7	Flow for Horizontal Elliptical Pipe Flowing Full n=0.011	186
Figure 8	Flow for Horizontal Elliptical Pipe Flowing Full n=0.012	187
Figure 9	Flow for Horizontal Elliptical Pipe Flowing Full n=0.013	188
Figure 10	Flow for Vertical Elliptical Pipe Flowing Full n=0.010	189
Figure 11	Flow for Vertical Elliptical Pipe Flowing Full n=0.011	190
Figure 12	Flow for Vertical Elliptical Pipe Flowing Full n=0.012	191
Figure 13	Flow for Vertical Elliptical Pipe Flowing Full n=0.013	192
Figure 14	Flow for Arch Pipe Flowing Full n=0.010	193
Figure 15	Flow for Arch Pipe Flowing Full n=0.011	194
Figure 16	Flow for Arch Pipe Flowing Full n=0.012	195
Figure 17	Flow for Arch Pipe Flowing Full n=0.013	196
Figure 18	Flow for Box Sections Flowing Full n=0.012	197
Figure 19	Flow for Box Sections Flowing Full n=0.013	199
Figure 20	Relative Velocity and Flow in Circular Pipe for Any Depth of Flow	201
Figure 21	Relative Velocity and Flow in Horizontal Elliptical Pipe for Any Depth of Flow	202

Figure 22 Relative Velocity and Flow in Vertical Elliptical Pipe for Any Depth of Flow	203
Figure 23 Relative Velocity and Flow in Arch Pipe for Any Depth of Flow	204
Figure 24 Relative Velocity and Flow in Precast Concrete Box Sections for Any Depth of Flow	205
Figure 25 2-Year, 30 Minute Rainfall Intensity Map	214
Figure 26 Intensity-Duration Curve	214
Figure 27 California Chart "A" for Calculation of Design Discharges	215
Figure 28 Critical Depth Circular Pipe	216
Figure 29 Critical Depth Horizontal Elliptical Pipe	217
Figure 30 Critical Depth Vertical Elliptical Pipe	218
Figure 31 Critical Depth Arch Pipe	219
Figure 32 Critical Depth Precast Concrete Box Sections	221
Figure 33 Headwater Depth for Circular Concrete Pipe Culverts with Inlet Control	222
Figure 34 Headwater Depth for Horizontal Elliptical Concrete Pipe Culverts with Inlet Control	223
Figure 35 Headwater Depth for Vertical Elliptical Concrete Pipe Culverts with Inlet Control	224
Figure 36 Headwater Depth for Arch Concrete Pipe Culverts with Inlet Control	225
Figure 37 Headwater Depth for Concrete Box Culverts with Inlet Control	226
Figure 38 Head for Circular Concrete Culverts Flowing Full	227
Figure 39 Head for Elliptical Concrete Culverts Flowing Full	228
Figure 40 Head for Concrete Arch Culverts Flowing Full	229
Figure 41 Head for Concrete Box Culverts Flowing Full	230
Figure 42 Culvert Capacity 12-Inch Diameter Pipe	231
Figure 43 Culvert Capacity 15-Inch Diameter Pipe	232
Figure 44 Culvert Capacity 18-Inch Diameter Pipe	233
Figure 45 Culvert Capacity 21-Inch Diameter Pipe	234
Figure 46 Culvert Capacity 24-Inch Diameter Pipe	235
Figure 47 Culvert Capacity 27-Inch Diameter Pipe	236
Figure 48 Culvert Capacity 30-Inch Diameter Pipe	237
Figure 49 Culvert Capacity 33-Inch Diameter Pipe	238
Figure 50 Culvert Capacity 36-Inch Diameter Pipe	239
Figure 51 Culvert Capacity 42-Inch Diameter Pipe	240
Figure 52 Culvert Capacity 48-Inch Diameter Pipe	241
Figure 53 Culvert Capacity 54-Inch Diameter Pipe	242
Figure 54 Culvert Capacity 60-Inch Diameter Pipe	243
Figure 55 Culvert Capacity 66-Inch Diameter Pipe	244
Figure 56 Culvert Capacity 72-Inch Diameter Pipe	245
Figure 57 Culvert Capacity 78-Inch Diameter Pipe	246
Figure 58 Culvert Capacity 84-Inch Diameter Pipe	247
Figure 59 Culvert Capacity 90-Inch Diameter Pipe	248

Figure 60 Culvert Capacity	96-Inch Diameter Pipe	249
Figure 61 Culvert Capacity	102-Inch Diameter Pipe	250
Figure 62 Culvert Capacity	108-Inch Diameter Pipe	251
Figure 63 Culvert Capacity	114-Inch Diameter Pipe	252
Figure 64 Culvert Capacity	120-Inch Diameter Pipe	253
Figure 65 Culvert Capacity	132-Inch Diameter Pipe	254
Figure 66 Culvert Capacity	144-Inch Diameter Pipe	255
Figure 67 Culvert Capacity 14 x 23-Inch Horizontal		
Elliptical Equivalent 18-Inch Circular		256
Figure 68 Culvert Capacity 19 x 30-Inch Horizontal		
Elliptical Equivalent 24-Inch Circular		257
Figure 69 Culvert Capacity 24 x 38-Inch Horizontal		
Elliptical Equivalent 30-Inch Circular		258
Figure 70 Culvert Capacity 29 x 45-Inch Horizontal		
Elliptical Equivalent 36-Inch Circular		259
Figure 71 Culvert Capacity 34 x 54-Inch Horizontal		
Elliptical Equivalent 42-Inch Circular		260
Figure 72 Culvert Capacity 38 x 60-Inch Horizontal		
Elliptical Equivalent 48-Inch Circular		261
Figure 73 Culvert Capacity 43 x 68-Inch Horizontal		
Elliptical Equivalent 54-Inch Circular		262
Figure 74 Culvert Capacity 48 x 76-Inch Horizontal		
Elliptical Equivalent 60-Inch Circular		263
Figure 75 Culvert Capacity 53 x 83-Inch Horizontal		
Elliptical Equivalent 66-Inch Circular		264
Figure 76 Culvert Capacity 58 x 91-Inch Horizontal		
Elliptical Equivalent 72-Inch Circular		265
Figure 77 Culvert Capacity 63 x 98-Inch Horizontal		
Elliptical Equivalent 78-Inch Circular		266
Figure 78 Culvert Capacity 68 x 106-Inch Horizontal		
Elliptical Equivalent 84-Inch Circular		267
Figure 79 Culvert Capacity 72 x 113 -Inch Horizontal		
Elliptical Equivalent 90-Inch Circular		268
Figure 80 Culvert Capacity 77 x 121-Inch Horizontal		
Elliptical Equivalent 96-Inch Circular		269
Figure 81 Culvert Capacity 82 x 128-Inch Horizontal		
Elliptical Equivalent 102-Inch Circular		270
Figure 82 Culvert Capacity 87 x 136-Inch Horizontal		
Elliptical Equivalent 108-Inch Circular		271
Figure 83 Culvert Capacity 92 x 143-Inch Horizontal		
Elliptical Equivalent 114-Inch Circular		272
Figure 84 Culvert Capacity 97 x 151 -Inch Horizontal		
Elliptical Equivalent 120-Inch Circular		273
Figure 85 Culvert Capacity 106 x 166-Inch Horizontal		
Elliptical Equivalent 132-Inch Circular		274

Figure 86 Culvert Capacity 116 x 180-Inch Horizontal Elliptical Equivalent 144-Inch Circular	275
Figure 87 Culvert Capacity 11 x 18-Inch Arch Equivalent 15-Inch Circular	276
Figure 88 Culvert Capacity 13 x 22-Inch Arch Equivalent 18-Inch Circular	277
Figure 89 Culvert Capacity 15 x 26-Inch Arch Equivalent 21-Inch Circular	278
Figure 90 Culvert Capacity 18 x 28-Inch Arch Equivalent 24-Inch Circular	279
Figure 91 Culvert Capacity 22 x 36-Inch Arch Equivalent 30-Inch Circular	280
Figure 92 Culvert Capacity 27 x 44-Inch Arch Equivalent 36-Inch Circular	281
Figure 93 Culvert Capacity 31 x 51 -Inch Arch Equivalent 42-Inch Circular	282
Figure 94 Culvert Capacity 36 x 58-Inch Arch Equivalent 48-Inch Circular	283
Figure 95 Culvert Capacity 40 x 65-Inch Arch Equivalent 54-Inch Circular	284
Figure 96 Culvert Capacity 45 x 73-Inch Arch Equivalent 60-Inch Circular	285
Figure 97 Culvert Capacity 54 x 88-Inch Arch Equivalent 72-Inch Circular	286
Figure 98 Culvert Capacity 62 x 102-Inch Arch Equivalent 84-Inch Circular	287
Figure 99 Culvert Capacity 72 x 115-Inch Arch Equivalent 90-Inch Circular	288
Figure 100 Culvert Capacity 77 x 122-Inch Arch Equivalent 96-Inch Circular	289
Figure 101 Culvert Capacity 87 x 138-Inch Arch Equivalent 108-Inch Circular	290
Figure 102 Culvert Capacity 97 x 154-Inch Arch Equivalent 120-Inch Circular	291
Figure 103 Culvert Capacity 106 x 169-Inch Arch Equivalent 132-Inch Circular	292
Figure 104 Culvert Capacity 3 x 2-Foot Box Equivalent 33-Inch Circular ...	293
Figure 105 Culvert Capacity 3 x 3-Foot Box Equivalent 39-Inch Circular ...	294
Figure 106 Culvert Capacity 4 x 2-Foot Box Equivalent 36-Inch Circular ...	295
Figure 107 Culvert Capacity 4 x 3-Foot Box Equivalent 42-Inch Circular ...	296
Figure 108 Culvert Capacity 4 x 4-Foot Box Equivalent 54-Inch Circular ...	297
Figure 109 Culvert Capacity 5 x 3-Foot Box Equivalent 48-Inch Circular ...	298
Figure 110 Culvert Capacity 5 x 4-Foot Box Equivalent 60-Inch Circular ...	299
Figure 111 Culvert Capacity 5 x 5-Foot Box Equivalent 66-Inch Circular ...	300
Figure 112 Culvert Capacity 6 x 3-Foot Box Equivalent 57-Inch Circular ...	301

Figure 113	Culvert Capacity	6 x 4-Foot Box Equivalent	66-Inch Circular ...	302
Figure 114	Culvert Capacity	6 x 5-Foot Box Equivalent	75-Inch Circular ...	303
Figure 115	Culvert Capacity	6 x 6-Foot Box Equivalent	81-Inch Circular ...	304
Figure 116	Culvert Capacity	7 x 4-Foot Box Equivalent	71-Inch Circular ...	305
Figure 117	Culvert Capacity	7 x 5-Foot Box Equivalent	79-Inch Circular	306
Figure 118	Culvert Capacity	7 x 6-Foot Box Equivalent	87-Inch Circular	307
Figure 119	Culvert Capacity	7 x 7-Foot Box Equivalent	94-Inch Circular	308
Figure 120	Culvert Capacity	8 x 4-Foot Box Equivalent	76-Inch Circular	309
Figure 121	Culvert Capacity	8 x 5-Foot Box Equivalent	85-Inch Circular	310
Figure 122	Culvert Capacity	8 x 6-Foot Box Equivalent	93-Inch Circular	311
Figure 123	Culvert Capacity	8 x 7-Foot Box Equivalent	101-Inch Circular	312
Figure 124	Culvert Capacity	8 x 8-Foot Box Equivalent	108-Inch Circular	313
Figure 125	Culvert Capacity	9 x 5-Foot Box Equivalent	90-Inch Circular	314
Figure 126	Culvert Capacity	9 x 6-Foot Box Equivalent	99-Inch Circular	315
Figure 127	Culvert Capacity	9 x 7-Foot Box Equivalent	107-Inch Circular	316
Figure 128	Culvert Capacity	9 x 8-Foot Box Equivalent	114-Inch Circular	317
Figure 129	Culvert Capacity	9 x 9-Foot Box Equivalent	121-Inch Circular	318
Figure 130	Culvert Capacity	10 x 5-Foot Box Equivalent	94-inch Circular	319
Figure 131	Culvert Capacity	10 x 6-Foot Box Equivalent	104-Inch Circular	320
Figure 132	Culvert Capacity	10 x 7-Foot Box Equivalent	112-Inch Circular	321
Figure 133	Culvert Capacity	10 x 8-Foot Box Equivalent	120-Inch Circular	322
Figure 134	Culvert Capacity	10 x 9-Foot Box Equivalent	128-Inch Circular	323
Figure 135	Culvert Capacity	10 x 10-Foot Box Equivalent	135-Inch Circular ...	324
Figure 136	Culvert Capacity	11 x 4-Foot Box Equivalent	88-Inch Circular	325
Figure 137	Culvert Capacity	11 x 6-Foot Box Equivalent	109-Inch Circular	326
Figure 138	Culvert Capacity	11 x 8-Foot Box Equivalent	126-Inch Circular	327
Figure 139	Culvert Capacity	11 x 10-Foot Box Equivalent	141-Inch Circular ...	328
Figure 140	Culvert Capacity	11 x 11-Foot Box Equivalent	148-Inch Circular ...	329
Figure 141	Culvert Capacity	12 x 4-Foot Box Equivalent	92-Inch Circular	330
Figure 142	Culvert Capacity	12 x 6-Foot Box Equivalent	113-Inch Circular	331
Figure 143	Culvert Capacity	12 x 8-Foot Box Equivalent	131-Inch Circular	332
Figure 144	Culvert Capacity	12 x 10-Foot Box Equivalent	147-Inch Circular ...	333
Figure 145	Culvert Capacity	12 x 12-Foot Box Equivalent	161-Inch Circular ...	334
Figure 146	Essential Features of Types of Installations			335
Figure 147	Earth Loads on Jacked or Tunneled Installations			
	Sand and Gravel Trench Term			336
Figure 148	Earth Loads on Jacked or Tunneled Installations			
	Sand and Gravel Cohesion Term			337
Figure 149	Earth Loads on Jacked or Tunneled Installations			
	Saturated Top Soil Trench Term			338
Figure 150	Earth Loads on Jacked or Tunneled Installations			
	Saturated Top Soil Cohesion Term			339
Figure 151	Earth Loads on Jacked or Tunneled Installations			
	Ordinary Clay Trench Term			340

Figure 152	Earth Loads on Jacked or Tunneled Installations Ordinary Clay Cohesion Term	341
Figure 153	Earth Loads on Jacked or Tunneled Installations Saturated Clay Trench Term	342
Figure 154	Earth Loads on Jacked or Tunneled Installations Saturated Clay Cohesion Term	343
Figure 155	Trench Backfill Loads on Vertical Elliptical Pipe Sand and Gravel (Fill Height = 2 to 10 ft)	344
Figure 156	Trench Backfill Loads on Vertical Elliptical Pipe Sand and Gravel (Fill Height = 10 to 50 ft)	345
Figure 157	Trench Backfill Loads on Vertical Elliptical Pipe Saturated Top Soil (Fill Height = 2 to 10 ft)	346
Figure 158	Trench Backfill Loads on Vertical Elliptical Pipe Saturated Top Soil (Fill Height = 10 to 50)	347
Figure 159	Trench Backfill Loads on Vertical Elliptical Pipe Ordinary Clay (Fill Height = 2 to 10 ft)	348
Figure 160	Trench Backfill Loads on Vertical Elliptical Pipe Ordinary Clay (Fill Height = 10 to 50)	349
Figure 161	Trench Backfill Loads on Vertical Elliptical Pipe Saturated Clay (Fill Height = 2 to 10 ft)	350
Figure 162	Trench Backfill Loads on Vertical Elliptical Pipe Saturated Clay (Fill Height = 10 to 50 ft)	351
Figure 163	Trench Backfill Loads on Horizontal Elliptical Pipe Sand and Gravel (Fill Height = 2 to 10 ft)	352
Figure 164	Trench Backfill Loads on Horizontal Elliptical Pipe Sand and Gravel (Fill Height = 10 to 50 ft)	353
Figure 165	Trench Backfill Loads on Horizontal Elliptical Pipe Saturated Top Soil (Fill Height = 2 to 10 ft)	354
Figure 166	Trench Backfill Loads on Horizontal Elliptical Pipe Saturated Top Soil (Fill Height = 10 to 50 ft)	355
Figure 167	Trench Backfill Loads on Horizontal Elliptical Pipe Ordinary Clay (Fill Height = 2 to 10 ft)	356
Figure 168	Trench Backfill Loads on Horizontal Elliptical Pipe Ordinary Clay (Fill Height = 10 to 50 ft)	357
Figure 169	Trench Backfill Loads on Horizontal Elliptical Pipe Saturated Clay (Fill Height = 2 to 10 ft)	358
Figure 170	Trench Backfill Loads on Horizontal Elliptical Pipe Saturated Clay (Fill Height = 10 to 50 ft)	359
Figure 171	Trench Backfill Loads on Arch Pipe Sand and Gravel (Fill Height = 2 to 10 ft)	360
Figure 172	Trench Backfill Loads on Arch Pipe Sand and Gravel (Fill Height = 10 to 50 ft)	361
Figure 173	Trench Backfill Loads on Arch Pipe Saturated Top Soil (Fill Height = 2 to 10 ft)	362

Figure 174	Trench Backfill Loads on Arch Pipe Saturated Top Soil (Fill Height = 10 to 50 ft)	363
Figure 175	Trench Backfill Loads on Arch Pipe Ordinary Clay (Fill Height = 2 to 10 ft)	364
Figure 176	Trench Backfill Loads on Arch Pipe Ordinary Clay (Fill Height = 10 to 50 ft)	365
Figure 177	Trench Backfill Loads on Arch Pipe Saturated Clay (Fill Height = 2 to 10 ft)	366
Figure 178	Trench Backfill Loads on Arch Pipe Saturated Clay (Fill Height = 10 to 50 ft)	367
Figure 179	Embankment Fill Loads on Vertical Elliptical Pipe Positive Projecting $r_{sd}p = 0$	368
Figure 180	Embankment Fill Loads on Vertical Elliptical Pipe Positive Projecting $r_{sd}p = 0.1$	369
Figure 181	Embankment Fill Loads on Vertical Elliptical Pipe Positive Projecting $r_{sd}p = 0.3$	370
Figure 182	Embankment Fill Loads on Vertical Elliptical Pipe Positive Projecting $r_{sd}p = 0.5$	371
Figure 183	Embankment Fill Loads on Vertical Elliptical Pipe Positive Projecting $r_{sd}p = 1.0$	372
Figure 184	Embankment Fill Loads on Horizontal Elliptical Pipe Positive Projecting $r_{sd}p = 0$	373
Figure 185	Embankment Fill Loads on Horizontal Elliptical Pipe Positive Projecting $r_{sd}p = 0.1$	374
Figure 186	Embankment Fill Loads on Horizontal Elliptical Pipe Positive Projecting $r_{sd}p = 0.3$	375
Figure 187	Embankment Fill Loads on Horizontal Elliptical Pipe Positive Projecting $r_{sd}p = 0.5$	376
Figure 188	Embankment Fill Loads on Horizontal Elliptical Pipe Positive Projecting $r_{sd}p = 1.0$	377
Figure 189	Embankment Fill Loads on Arch Pipe Positive Projecting $r_{sd}p = 0$	378
Figure 190	Embankment Fill Loads on Arch Pipe Positive Projecting $r_{sd}p = 0.1$	379
Figure 191	Embankment Fill Loads on Arch Pipe Positive Projecting $r_{sd}p = 0.3$	380
Figure 192	Embankment Fill Loads on Arch Pipe Positive Projecting $r_{sd}p = 0.5$	381
Figure 193	Embankment Fill Loads on Arch Pipe Positive Projecting $r_{sd}p = 1.0$	382
Figure 194	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 0.5$ $r_{sd} = 0$	383
Figure 195	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 0.5$ $r_{sd} = -0.1$	384

Figure 196	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 0.5$ $r_{sd} = -0.3$	385
Figure 197	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 0.5$ $r_{sd} = -0.5$	386
Figure 198	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 0.5$ $r_{sd} = -1.0$	387
Figure 199	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.0$ $r_{sd} = 0$	388
Figure 200	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.0$ $r_{sd} = -0.1$	389
Figure 201	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.0$ $r_{sd} = -0.3$	390
Figure 202	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.0$ $r_{sd} = -0.5$	391
Figure 203	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.0$ $r_{sd} = -1.0$	392
Figure 204	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.5$ $r_{sd} = 0$	393
Figure 205	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.5$ $r_{sd} = -0.1$	394
Figure 206	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.5$ $r_{sd} = -0.3$	395
Figure 207	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.5$ $r_{sd} = -0.5$	396
Figure 208	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 1.5$ $r_{sd} = -1.0$	397
Figure 209	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 2.0$ $r_{sd} = 0$	398
Figure 210	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 2.0$ $r_{sd} = -0.1$	399
Figure 211	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 2.0$ $r_{sd} = -0.3$	400
Figure 212	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 2.0$ $r_{sd} = -0.5$	401
Figure 213	Embankment Fill Loads on Circular Pipe Negative Projecting $p' = 2.0$ $r_{sd} = -1.0$	402
Figure 214	Load Coefficient Diagram for Trench Installations	403

APPENDIX A

Table A-1	Square Roots of Decimal Number ($S^{1/2}$ in Manning's Formula)	406
Table A-2	Three-Eighths Powers of Numbers	407
Table A-3	Two-Thirds Powers of Numbers	408
Table A-4	Eight-Thirds Powers of Numbers	409
Table A-5	Square Roots and Cube Roots of Numbers	410

Table A-6	Decimal Equivalents of Inches and Feet	411
Table A-7	Various Powers of Pipe Diameters	412
Table A-8	Areas of Circular Sections (Square Feet)	413
Table A-9	Areas of Circular Segments	414
Table A-10	Area, Wetted Perimeter and Hydraulic Radius of Partially Filled Circular Pipe	415
Table A-11	Headwater Depth for Circular Pipe Culverts with Inlet Control	416
Table A-12	Trigonometric Formulas	417
Table A-13	Properties of the Circle	418
Table A-14	Properties of Geometric Sections	419
Table A-15	Properties of Geometric Sections and Structural Shapes	425
Table A-16	Four Place Logarithm Tables	426
Table A-17	Frequently Used Conversion Factors	427
Table A-18	Metric Conversion of Diameter	430
Table A-19	Metric Conversion of Wall Thickness	430

APPENDIX B Marston/Spangler Design Procedure

Types of Installations	431
Trench	431
Positive Projecting Embankment	432
Negative Projecting Embankment	433
Selection of Bedding	435
Determination of Bedding Factor	436
Application of Factor of Safety	438
Selection of Pipe Strength	438
Example Problems	439
B-1 Trench Installation	439
B-2 Positive Projecting Embankment Installation	441
B-3 Negative Projecting Embankment Installation	443
B-4 Wide Trench Installation	445
B-5 Positive Projecting Embankment Installation Vertical Elliptical Pipe	447
B-6 Highway Live Load	449
 APPENDIX B - TABLES AND FIGURES	 451
 GLOSSARY OF TERMS	 533
 CONDENSED BIBLIOGRAPHY	 537